

Hängeplan Schl8hof Wels Grosser Saal

12.9.2026 Schl8hof Wels

Fixtures

Channel	Name	Patch	Mode	Location
	DTS Scena 650/1000 PC		Control	
101	DTS Max	2.255	24 Channel	Back-truss
102	DTS Max	2.279	24 Channel	Back-truss
103	DTS Max	2.303	24 Channel	Back-truss
104	DTS Max	2.327	24 Channel	Back-truss
105	DTS Max	2.351	24 Channel	Back-truss
112	DTS Max	2.375	24 Channel	Mid-truss
113	DTS Max	2.399	24 Channel	Mid-truss
114	DTS Max	2.423	24 Channel	Mid-truss
201	ETC ColorSource PAR	1.110	5 Channel	Back-truss
202	ETC ColorSource PAR	1.115	5 Channel	Back-truss
203	ETC ColorSource PAR	1.135	5 Channel	Back-truss
204	ETC ColorSource PAR	1.140	5 Channel	Back-truss
205	ETC ColorSource PAR	1.120	5 Channel	Mid-truss
207	ETC ColorSource PAR	1.130	5 Channel	Mid-truss
210	ETC ColorSource PAR	1.280	5 Channel	Front-truss left
211	ETC ColorSource PAR	1.285	5 Channel	Front-truss right
401	DTS Max	8.1	24 Channel	Floor
402	DTS Max	8.25	24 Channel	Floor
403	DTS Max	8.49	24 Channel	Floor
404	DTS Max	8.73	24 Channel	Floor
801	Vari-Lite VL1000 ERS AS	2.1	16-Bit Enhanced [Control=Dual]	Side left
802	Vari-Lite VL1000 ERS AS	2.28	16-Bit Enhanced, Internal Dimmer	Side left

803	Vari-Lite VL1000 ERS AS	2.55	16-Bit Enhanced, Internal Dimmer	Side right
804	Vari-Lite VL1000 ERS AS	2.82	16-Bit Enhanced, Internal Dimmer	Side right
807	Vari-Lite VL1000 ERS AS	2.163	16-Bit Enhanced, Internal Dimmer	FOH left
808	Vari-Lite VL1000 ERS AS	2.190	16-Bit Enhanced, Internal Dimmer	FOH mid
809	Vari-Lite VL1000 ERS AS	2.217	16-Bit Enhanced, Internal Dimmer	FOH right
911	Eurolite Audience Blinder 2x50W LED COB 3200K	2.251	1 Channel Mode	left
912	Eurolite Audience Blinder 2x50W LED COB 3200K	2.252	1 Channel Mode	right
913	Eurolite Audience Blinder 2x50W LED COB 3200K	2.253	1 Channel Mode	mid
1001	DTS Scena 650/1000 PC	1.1	Control	
1002	ETC Source Four 50°	1.2	Control	
1003	DTS Scena 300/500 PC	1.3	Control	
1005	ETC Source Four 50°	1.4	Control	
1006	DTS Scena 300/500 PC	1.6	Control	
1007	ETC Source Four 50°	1.7	Control	
1008	ETC Source Four 50°	1.8	Control	
1009	ETC Source Four 50°	1.9	Control	
1010	DTS Scena 650/1000 PC	1.10	Control	
1011	ETC Source Four 50°	1.11	Control	
1012	DTS Scena 650/1000 PC	1.12	Control	
1022	DTS Scena 650/1000 PC	1.201	Control	
1024	DTS Scena 650/1000 PC	1.204	Control	
1024	DTS Scena 650/1000 PC	1.204	Control	
1025	DTS Scena 650/1000 PC	1.205	Control	
1025	DTS Scena 650/1000 PC	1.205	Control	
1026	DTS Scena 300/500 PC	1.206	Control	
1026	DTS Scena 300/500 PC	1.206	Control	
1026	DTS Scena 300/500 PC	1.206	Control	
1026	DTS Scena 300/500 PC	1.206	Control	

Fixtures